




Certificate of Analysis

Pages 1 of 2

TESTED



Batch #: CO HEMP - 277707-08
Harvest Date: 04/20/26
Production Method: Other
Total Amount: 1 units
Retail Product Size: 30 ml
Retail Serving Size: 1 ml
Density: 0.96 g/mL
Servings: 1
Metric Package #:
1A4000B00048829000001973
Metric Source Package #: : NA

Lab ID: DE60424026-002
Ordered: 04/24/26
Sampled Date: 04/24/26
Sample Size: 6 ml
Completed: 04/28/26

Rad Extracts

860 Commercial Lane,
Palmer Lake, CO, 80133, US
License # : 405R-00037

SAFETY RESULTS

MISC.



Pesticide
NOT TESTED



Heavy Metals
NOT TESTED



Microbial
TESTED



Mycotoxins
NOT TESTED



Solvents
NOT TESTED



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
ND



Total CBD
2.769%



Total Cannabinoids
5.627%

	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	EXO-THC	D9-THC	D8-THC	THCVA	D10-THC	CBC	THCA
%	ND	ND	2.858	2.769	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/unit	ND	ND	823.104	797.472	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.002	0.001	0.002	0.001	0.001	0.002	0.001	0.001	0.004	0.001	0.002	0.001	0.002	0.002	0.002
LOQ	0.005	0.003	0.006	0.004	0.004	0.006	0.005	0.004	0.012	0.003	0.008	0.004	0.006	0.008	0.006
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Qualifier															

Analyzed by:
3200, 3498, 8, 2080

Weight:
0.239g

Extraction date:
04/24/26 17:28:04

Extracted by:
3200

Analysis Method : SOP.T.40.039.CO

Analytical Batch : DE012677POT

Instrument Used : No Name (Shimadzu)

Analyzed Date : 04/28/26 11:17:58

Batch Date : 04/24/26 14:47:28

Dilution : 40

Reagent : 102925.18; 042026.R18; 042026.R19; 042326.R05; 042326.R01; 040826.R15; 031126.27

Consumables : 230822-052-1A; 947.100; 24072098; 04303051; 0000526926; 042725CH01; 1009372578; 61572-107C6-107H

Pipette : 20C40454_Repeater; POT- 21F92365 50mL Dispensette; POT- 5-50mL Dispensette 21L76426; 21K57929_P200; POT- 25 mL Dispensette - 25F90268

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.



Microbial

TESTED

ANALYTES

TOTAL YEAST AND MOLD

UNIT

cfu/g

LOD

100

LOQ

100

LIMIT

10000

PASS/FAIL

TESTED

RESULT

ND

QUALIFIER

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens
Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

William Stephens

Signature
04/28/26
Laboratory License #:
405R-00037



3940 Holly St.
Denver, CO, 80207, US
(303) 427-2379

Kaycha Labs

750mg CBD/750mg CBG Ash/Turm/Ging/Resh/Lem Tincture
Matrix: Infused
Classification: Hybrid
Type: Tincture



Certificate of Analysis

Pages 2 of 2

Rad Extracts

860 Commercial Lane,
Palmer Lake, CO, 80133, US
License # : 405R-00037

Sample: DE60424026-002

Batch #: CO HEMP - 277707-08
Seed to sale: 1A4000B00048829000001973

Ordered: 04/24/26
Sampled: 04/24/26
Completed: 04/28/26

TESTED



Microbial

TESTED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
SHIGA-TOXIN PRODUCING ESCHERICHIA COLI (STEC)					TESTED	Not Present	
SALMONELLA SPECIES					TESTED	Not Present	
TOTAL AEROBIC	cfu/g	10	10	10000	TESTED	ND	
TOTAL COLIFORM	cfu/g	10	10	100	TESTED	ND	

Analyzed by:
1473, 3215, 8, 2080

Weight:
0.95g

Extraction date:
04/24/26 17:47:18

Extracted by:
1473

Analysis Method : SOP.T.40.057.CO; SOP.T.40.209.CO

Analytical Batch : DE012670MIC

Instrument Used : Microbial - Full Panel

Analyzed Date : 04/27/26 12:53:28

Batch Date : 04/23/26 16:06:34

Dilution : N/A

Reagent : 041526.R13; 042126.R01; 041526.R12; 040226.R05; 041526.R01; 031026.06; 041426.01; 112525.03; 073025.01; 031926.07; 041526.01; 031226.19; 120325.01; 021326.01; 040826.29; 041526.R14

Consumables : 00120; 042725CH01; 01859; 1; 41594-550C4-550AI; 62125-528C6-528J; 250810-11304-F; 211129-1125; 2; 25H4015

Pipette : MIC EXT - L47149J_P1000; MIC EXT - MV21601_P100; MIC TYM - MU03680_P1000; MIC PCR - M32141C_P100; 20C40454_Repeater; 22G22702_Repeater; MIC TYM - MU06201_P100; MIC PCR - N65633K_P200; MIC EXT - K94440L_P20; MIC - 20E73249_Dispensette 5-50mL; MIC EXT - J46789J_P200; MIC PCR - J55715J_P20; MIC TYM - M30687C_P10; MIC PCR - O52710K_P10; MIC TYM - N15637K_P100; MIC PCR - O34081K_P1000; MIC TYM - 20B29164_P1000

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William
Stephens

Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

Signature
04/28/26
Laboratory License #:
405R-00037